


The Root of All Evil



Admin Account

- Servers
- Workstations
- etc


Normal Account

- Email
- Documents


Ground Rules



Credential Compartmentalization



ADMINISTRATORS SHOULD HAVE MULTIPLE ACCOUNTS BASED ON PURPOSE AND SHOULD ONLY BE USED WHEN NEEDED





NEVER USE HIGHER PERMISSIONED ACCOUNTS ON LESS SECURE DEVICES



ACCOUNTS SHOULD HAVE DIFFERENT PASSWORDS

The Party's Over





Setting Allowing Users to Join Computers to AD

Default Domain Controllers Policy

Scope Details Settings Delegation Status

Default Domain Controllers Policy
Data collected on: 6/12/2017 9:12:25 PM

Computer Configuration (Enabled)

Policies

Windows Settings

Security Settings

Local Policies/User Rights Assignment

Policy	Setting
Access this computer from the network	BUILTIN\Pre-Windows 2000 Compatible Access, NT AUTHORITY\ENTERPRISE DOMAIN CONTROLLERS, NT AUTHORITY\Authenticated Users, BUILTIN\Administrators, Everyone
Add workstations to domain	NT AUTHORITY\Authenticated Users
Adjust memory quotas for a process	BUILTIN\Administrators, NT

Default location can be changed by running redircmp

`redircmp ou=newcomputerou,dc=domainname,dc=com`